



MATERIAL SAFETY DATA SHEET - MSDS

RAPID SET® Fiber

Date Issued: 01-Jan-2010

SECTION 1 - PRODUCT AND COMPANY INFORMATION

Supplier CTS Cement Manufacturing Corp.	Manufacturer CTS Cement Manufacturing Corp.		
11065 Knott Ave., Suite A	11065 Knott Ave., Suite A	Health	0
Cypress, CA 90630, United States	Cypress, CA 90630, United States	Fire	1
Telephone Number: 714-379-8260	Telephone Number: 714-379-8260		
FAX Number: 714-379-8270	FAX Number: 714-379-8270	Physical	0
Email: info@ctscement.com	Email: info@ctscement.com	Hazard	
Website: www.ctscement.com	Website: www.ctscement.com		
Supplier Emergency Contact	Manufacturer Emergency Contact		
1-714-379-8260	1-714-379-8260		
Product Name: Rapid Set Fiber CAS Number: N/A Chemical Family: Fiber	MSDS Number: ***** Product Code: ***		

SECTION 2 — COMPONENT INFORMATION

Ingredient (Specific Chemical Identity, Common Name)	CAS Number	% of Total Weight
Polypropylene	9003-07-0	60-100

SECTION 3 — HAZARDOUS INFORMATION

Primary Route(s) of Entry:	Skin, Eye
Inhalation Hazards:	N/A
Skin Hazards:	May irritate skin.
Eye Hazards:	May irritate eyes.
Ingestion Hazards:	N/A
Chronic Exposure:	N/A





Carcinogenic Effects: N/A

SECTION 4 — FIRST AID INFORMATION Inhalation: N/A Skin: Flush with water immediately. If irritation persists, get medical attention immediately. Eye: Flush eyes with plenty of water or eye wash. Get medical attention immediately. Ingestion: N/A SECTION 5 — PHYSICAL & CHEMICAL PROPERTIES **Boiling Point: N/A** Specific Gravity: 0.905 Melting Point: 328°F Vapor Pressure (mm Hg): None Vapor Density (AIR = 1): None Evaporation Rate: None Solubility in Water: Insoluble Appearance and Odor: White, gray, natural fibers Odor: N/A SECTION 6 — FIRE & EXPLOSION PROPERTIES Flammable Limits: Not self-Flash Point: >315 °C LEL: N/A **UEL:** N/A igniting Extinguishing Media: Water spray, foam, Special Fire Fighting Procedures: Avoid inhalation of vapors. Use self contained breathing apparatus. dry media, carbon dioxide SECTION 7 — REACTIVITY INFORMATION Conditions to Avoid: Oxidizing materials. Do not store under direct Stability: Stable sunlight. Hazardous Polymerization: Will not occur Hazardous Decomposition or Byproducts: carbon monoxide, carbon dioxide, smoke and soot.

SECTION 8 — ACCIDENTAL RELEASE MEASURES

Fibers are prepackaged in paper bags. The paper bags may support in the combustion of product in the presence of fire. Dispose materials in accordance with all state, federal, and governmental regulations.

SECTION 9 — HANDLING AND STORAGE

Incompatible Materials: N;A.





Waste Disposal Method: Use appropriate disposal facility complying with local regulations. Not classified as hazardous waste under RCRA of CERCLA. Do not create dust.

Handling and Storage Precautions: Keep away from sources of heat and ignition. Keep in dry area. Avoid contact with eyes. Wear suitable clothing. Keep away from oxidizing agents, reducing agents, acids, bases.

SECTION 10 — EXPOSURE CONTROL MEASURES

Engineering Controls: N/A

Eye Protection: Not required. Safety glasses with side shields or goggles are recommended.

Skin Protection: Impervious gloves, boots and clothing are recommended to protect the skin from contact

Respiratory Protection: Not required

Hygienic Practices: After handling, thoroughly wash hands and exposed skin with soap and water.

Exposure Limits: N/A

SECTION 11 — TOXICOLOGY INFORMATION

Toxicity to Animals: N/A

Chronic Effects on Humans: Product may contain fiber lubricants that may cause skin to dry out. May develop rash.

SECTION 12 — ECOLOGICAL INFORMATION

No data available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state, and local environmental control regulations.

SECTION 14 — TRANSPORTATION INFORMATION

Not determined to be hazardous under the U.S. Department of Transportation. Not Regulated by USDOT, IMDG, and IATA/ICAO.

SECTION 15 — OTHER REGULATORY INFORMATION

Federal and State Regulations: All materials are listed in the TSCA inventory. This product contains no ingredients subject to reporting under SARA 313 (40 CFR Part 372). This product may contain ingredients in the fiber lubricant package that are listed under SARA Section 311/312 Acute Health Hazard. At levels under 1% it is not anticipated that threshold will be reached with typical concentrations.

International Regulations: WHMIS: Not controlled EINECS: Not applicable DSCL (EEC): Not controlled





SECTION 16 — OTHER INFORMATION

HMIS (U.S.A.): Health Hazard: 0 Fire Hazard: 1 Reactivity: 0

Protective Equipment: Gloves (impervious). Lab coat. Safety glasses.

NOTE: CTS Cement Manufacturing Corporation makes no representations as to the completeness or accuracy of the information in this document; and, no guarantee or warranty of any kind, express or implied, is made herein. We are not liable for any consequential, incidental, or special damages arising directly or indirectly from the use of this information.