




TOLERANCES acc. to ISO / TOLERANSER enl. ISO
 Applicable where no tolerance is indicated.
 Gäller där tolerans ej direkt utsatts
 For machining / For bearbetning ISO 2768-mK
 For welding / For sveitsning SS-EN ISO 13920-BF
 Surface finish acc. to ISO 1302 Machined surfaces.
 Ytjämnhet enligt ISO 1302 For bearbetade ytor.



Item Number	Artikelnummer	Document Number	Title	Quantity
1	114997	791.38.39	POSITION SWITCH	1
2	115086	791.80.70	CABLE GLAND PROGRESS KST.	1
3	108990		EL. CABLE 2 X 1MM2 PUR/PUR	2.65
4	114988		CABLE END SLEEVE 1 MM2	6
5	109008		ELECTRIC CONNECTOR $\varnothing=6$	1


				Material	Dimension
Drawn By MS	Date 13.5.2019	Approved Date 18.11.2019	Approved By MS	Units : mm	SIZE A3
		Description POSITION SWITCH		Article Number 706365	
				DWG NO 665.32.00	
Part/Assembly File 6653200.asm			sheet 1	of 3	
					Rev.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
 VON ARX EOOD REPRODUCTION IN PART OR WHOLE WITHOUT
 THE WRITTEN PERMISSION OF VON ARX EOOD IS PROHIBITED


TOLERANCES acc. to ISO / TOLERANSEER enl. ISO
 Applicable where no tolerance is indicated.
 Gäller där tolerans ej direkt utsatts
 For machining / For bearbetning: ISO 2768-mK
 For welding / For svetsning: SS-EN ISO 13920-BF
 Surface finish acc. to: ISO 1302 Machined surfaces.
 Ytjämnhet enligt: ISO 1302. For bearbetade ytor.

110942
CASING EMERGENCY STOP

NO контакт (2)
NO контакт (1)



108990
EL. CABLE 2 X 1mm² PUR/PUR (0.95m)




114997
POSITION SWITCH


(34) Ключ
(33) Ключ

114997
POSITION SWITCH

Ключ (34)
Ключ (33)



108990
EL. CABLE 2 X 1mm² PUR/PUR (1.7m)



110890
SCOTCHLOK 3M
(T3) Съединител
Корпус на мотора

702556
GASOLINE ENGINE
HONDA VA 25 S



110890
SCOTCHLOK 3M

(T1) Съединител
(T4) Съединител

702556
GASOLINE ENGINE
HONDA VA 25 S

Прекъснете червения проводник от вътрешността към Старт/Стоп ключа на мотора!

Кабелни накрайници
(Зачистете всички проводници на 6 mm!)



114988 CABLE END SLEEVE 1mm² (6 бр.)



109008 ELECTRIC CONNECTOR D=5 (1 бр.)


Material	Dimension
----------	-----------

Drawn By MS	Date 13.5.2019	Approved Date 18.11.2019	Approved By MS	Units : mm	SIZE A4
----------------	-------------------	-----------------------------	-------------------	------------	---------



	Description POSITION SWITCH	Article Number 706365
		DWG NO 665.32.00

Part/Assembly File 6653200.asm	sheet 2	of 3		Rev.
-----------------------------------	------------	---------	--	------

TOLERANCES acc. to ISO / TOLERANSER enl. ISO
 Applicable where no tolerance is indicated.
 Gäller där tolerans ej direkt utsatts
 For machining / För bearbetning: ISO 2768-mK
 For welding / För svetsning: SS-EN ISO 13920-BF
 Surface finish acc. to: ISO 1302 Machined surfaces.
 Ytjämnhet enligt: ISO 1302. För bearbetade ytor.



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF VON ARX EOOD. REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF VON ARX EOOD IS PROHIBITED.

		Material		Dimension	
Drawn By	Date	Approved Date	Approved By	Units : mm	
MS	13.5.2019	18.11.2019	MS	SIZE A4	
		Description POSITION SWITCH		Article Number 706365	
				DWG NO 665.32.00	
Part/Assembly File 6653200.asm		sheet 3	of 3		Rev.