

RIDE-ON FLOOR SCRAPERS



FEATURES & BENEFITS



Innovatech is proud to be the Inventor of the Terminator® Floor Scraper

In fact, we pioneered the Ride-On Floor Scraping Industry. Innovatech is committed to constantly innovating and improving our designs to provide the very best performance, durability and versatility.

COMMON TERMINATOR® DESIGN FEATURES

- Quick Change Swivel Tool Holder
- Precision Hydraulic controls allows for effective work in small spaces (zero turn radius)
- Fully Enclosed solid steel design protects major components.
- Integrated large fork lift channels
- Comes standard with an Hour meter and Battery level indicator
- Comfortable seat with armrests
- Large Footrest platform for operator comfort and additional protection from debris
- Fits through standard door opening
- Adjustable wheel scraper blades for improved traction and reduced maintenance
- Non-marking Tires
- Hinged Hood and removable side/rear panels for ease of maintenance
- Optional Additional Weight Packages
- Up to 26" Working Width



TECHNICAL SPECS*		T3000 XME	INFINITY	T3000 EI	T2500 PRO	T5500 PRO
Battery		48V-230AH	48VDC-415AH	48VDC-415AH	12V	12V
Power		10 hp	5.5 hp	10 hp	25 hp – Kohler	55 hp – Kubota
Working Width*		Up to 26" (66 cm)				
Max Speed*		250ft/min	150 ft/min	200 ft/min	300 ft/min	375 ft/min
Length		55" (140 cm)	62" (157 cm)	66" (168 cm)	54" (137 cm)	67" (170 cm)
Width		29.5" (75 cm)	27" (69 cm)	27" (69 cm)	26.5" (67 cm)	27.5" (70 cm)
Height		47" (119 cm)	47" (119 cm)	47" (119 cm)	58.5" (149 cm)	62" (157 cm)
Weight		1,850 lb (839 kg)	2,455 lb (1114 kg)	2,763 lb (1253 kg)	1930 lb (875 kg)	2,943 lb (1337 kg)
Removable Weight		150 lb (68 kg)	—	330 lb (150 kg)	315 lb (143 kg)	870 lb (395 kg)
Machine Only		1,700 lb (771 kg)	2,455 lb (1114 kg)	2,433 lb (1104 kg)	1615 lb (733 kg)	2,073 lb (942 kg)
Optional Weight ¹	Front	—	90 lb (41 kg)	60 lb (27 kg)	90 lb (41 kg)	—
	Rear	—	150 lb (68 kg) 300 lb (136 kg)	150 lb (68 kg)	150 lb (68 kg)	—
	Side	—	—	800 lb (362 kg)	—	800 lb (362 kg)

1. Extra Weight Packages must be purchased separately.

*MAXIMUM. Production rates, working width, travel speed may vary depending on job conditions

COMPLETE LINE



TERMINATOR T3000XME

- Compact design is effective in small spaces
- Quick change battery packs easily slide in and out of the machine
- Built in USB Charging port
- AGM Maintenance free battery packs
- Optional Tow behind cart to hold extra battery packs and accessories
- LED Headlight for improved visibility
- Zero Emissions – safe for indoor use



TERMINATOR INFINITY

- All-day battery life (8-12 hrs run time)
- 110V Dual On-Board Charging system – 30% faster charge time (optional 220V available)
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution
- Automatic Seat safety switch to turn machine off when the operator is vacant
- AGM Maintenance free battery pack
- Zero Emissions – safe for indoor use• Visible Charging Indicator



TERMINATOR T3000 EI

- Variable Speed foot throttle to allow for increased operator control
- Sleek low profile gaining more stability and better weight distribution
- Extremely high removal rates for nearly all floor removal applications
- Industry leading 10HP electric motor
- LED Headlight for improved visibility
- Built in USB Charging Port
- Optional AGM (Absorbed Glass Mat) Maintenance free battery pack
- Zero Emissions – safe for indoor use
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution



TERMINATOR T2500 PRO

- Propane powered
- Designed for easy maintenance
- Works effectively in small spaces
- Smooth variable-speed joystick control
- Quick-change swivel tool holder
- Multiple tooling options for removal of all types of flooring
- Adjustable wheel scraper blades
- Non-marking tires
- Made in the USA
- LED headlight for improved visibility



TERMINATOR T5500 PRO

- Extremely High Removal Rates
- 55hp 1.6L Kubota LPG Engine
- Ergonomic Handle Controls for all operations
- Head light for improved visibility
- Meets Tier 2 CARB & EPA emissions standards
- “Cool Flow” Hydraulics for consistent performance
- Up to 1,745 ft. lbs of wheel torque
- Hinged Hood and door panels for easy access
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution

PRODUCTION RATES*	T3000 XME	INFINITY	T3000 EI	T2500 PRO	T5500 PRO
Carpet	2500 ft ² /hr	3000 ft ² /hr	4000 ft ² /hr		5000 ft ² /hr
VCT/VAT	3000 ft ² /hr				
Sheet Vinyl	2000 ft ² /hr				
Glued Hardwood	1400 ft ² /hr	1800 ft ² /hr	2000 ft ² /hr	2400 ft ² /hr	2400 ft ² /hr
Elastomeric	1800 ft ² /hr				
Ceramic Tile	—			1900 ft ² /hr	1900 ft ² /hr

*PRODUCTION RATES MAY VARY DEPENDING ON JOB CONDITIONS

CONTRACTOR PROVEN EQUIPMENT

SINCE 1946



**RIDE-ON
TROWELS**



TROWELS



**PLATE
COMPACTORS**



RAMMERS



**POWER
BUGGIES**



TRUSS SCREED



UNISCREED



**DRILLS &
STANDS**



SAWS



VIBRATORS



MIXERS



SPREADERS



SPRAYERS



GENERATORS



**WALKBEHIND
FLOOR SCRAPERS**



**RIDE-ON
FLOOR SCRAPERS**



SCARIFIERS



**FLOOR
PLANERS**



**GRINDERS &
POLISHERS**



**DUST
COLLECTORS**




SHOTBLASTERS



**VERTICAL
SHOTBLASTERS**



**DIAMOND
TOOLING**



**DIAMOND
BLADES**



**BARTELL
GLOBAL**

**5 BRANDS - 1 SOURCE FOR
GREAT EQUIPMENT**

BARTELL morrison

SPE

Innovatech

CONTEC

BartellGlobal.com